

CONTENTS

(Full texts are incorporated in CJELSEVIER, a file in the Chemical Journals Online database available on STN International; Abstracted, indexed in: Aluminium Abstracts; Anal. Abstr.; Biol. Abstr.; BIOSIS; Chem. Abstr.; Curr. Contents Phys. Chem. Earth Sci.; Engineered Materials Abstracts; Excerpta Medica; Index Med.; Life Sci.; Mass Spectrum. Bull.; Material Business Alerts; Metals Abstracts; Sci. Citation Index)

Chromatography

- Review— Selection of orthogonal chromatographic systems based on parametric and non-parametric statistical tests
P. Forlay-Frick, E. Van Gysegem (Brussels, Belgium), K. Héberger (Budapest, Hungary) and Y. Vander Heyden (Brussels, Belgium) 1
- The identification of phenolic compounds by a gas chromatographic method on three capillary columns with the same non-polar stationary phase
J. Jaroszyńska (Białystok, Poland) and T. Ligor (Toruń, Poland) 11
- Development and evaluation of headspace gas chromatography method for the analysis of carbonyl compounds in spirits and vodkas
P. Sowiński, W. Wardencki and M. Partyka (Gdańsk, Poland) 17
- Synthesis and chromatographic properties of α -Schiff bases (6-imino)- β -cyclodextrin bonded silica for stationary phase of liquid chromatography
Z.-M. Zhou, M. Fang and C.-X. Yu (Beijing, PR China) 23
- Determination of robenidine in eggs by liquid chromatography with UV spectrophotometric detection
G. Dowling, M. O'Keeffe and M.R. Smyth (Dublin, Ireland) 31

Solid phase and other extraction processes

- Microextraction in packed syringe/liquid chromatography/electrospray tandem mass spectrometry for quantification of olomoucine in human plasma samples
M. Abdel-Rehim (Södertälje, Sweden and Karlstad, Sweden), P. Skansen (Karlstad, Sweden), M. Vita, Z. Hassan (Stockholm, Sweden), L. Blomberg (Karlstad, Sweden) and M. Hassan (Stockholm, Sweden) 35
- Determining leaching of bisphenol A from plastic containers by solid-phase microextraction and gas chromatography–mass spectrometry
C.-M. Chang, C.-C. Chou and M.-R. Lee (Taichung, Taiwan) 41
- Simultaneous derivatization and extraction of amphetamine-like drugs in urine with headspace solid-phase microextraction followed by gas chromatography–mass spectrometry
K.-J. Chia and S.-D. Huang (Hsinchu, Taiwan) 49
- Solid-phase microextraction with on-fiber derivatization for the determination of hydroxy-polychlorinated biphenyl compounds in urine
J.E. Hong, H. Pyo, S.-J. Park and W. Lee (Seoul, South Korea) 55
- Solid phase extraction using immobilized yeast *Saccharomyces cerevisiae* for determination of palladium in road dust
B. Godlewska-Zytkiewicz and M. Kozłowska (Białystok, Poland) 61
- Immobilized salen (*N,N'*-bis (salicylidene) ethylenediamine) as a complexing agent for on-line sorbent extraction/preconcentration and flow injection–flame atomic absorption spectrometry
S. Dadfarman, A.M. Haji Shabani, F. Tamaddon and M. Rezaei (Yazd, Iran) 69
- Determination of residues of quinolones in pig muscle. Comparative study of classical and microwave extraction techniques
M.P. Hermo, D. Barrón and J. Barbosa (Barcelona, Spain) 77

Molecularly imprinted polymers

- Molecularly imprinted solid phase extraction using stable isotope labeled compounds as template and liquid chromatography–mass spectrometry for trace analysis of bisphenol A in water sample
M. Kawaguchi, Y. Hayatsu, H. Nakata, Y. Ishii, R. Ito, K. Saito and H. Nakazawa (Tokyo, Japan) 83
- Discrimination of epimeric disaccharides by templated polymers
S. Striegler (Auburn, AL, USA) 91
- An allosteric model for the binding of bilirubin to the bilirubin imprinted poly(methacrylic acid-co-ethylene glycol dimethylacrylate)
M.-J. Syu and Y.-M. Nian (Tainan, Taiwan) 97
- Synthesis and characterization of creatinine imprinted poly(4-vinylpyridine-co-divinylbenzene) as a specific recognition receptor
H.-A. Tsai and M.-J. Syu (Tainan, Taiwan) 107
- Automatic selective determination of caffeine in coffee and tea samples by using a supported liquid membrane-modified piezoelectric flow sensor with molecularly imprinted polymer
M. Zougagh (Córdoba, Spain), A. Ríos (Ciudad Real, Spain) and M. Valcárcel (Córdoba, Spain) 117
- Solid-phase molecularly imprinted on-line preconcentration and voltammetric determination of sulfamethazine in milk
A. Guzmán-Vázquez de Prada, P. Martínez-Ruiz, A.J. Reviejo and J.M. Pingarrón (Madrid, Spain) 125

Mass spectrometry

Real-time monitoring of a pharmaceutical process reaction using a membrane interface combined with atmospheric pressure chemical ionisation mass spectrometry	
R. Clinton, C.S. Creaser (Nottingham, UK) and D. Bryant (Hertshire, UK)	133
Rapid and decisive determination of Cr^{6+} using electrospray ionization mass spectrometry	
K. Minakata, M. Suzuki and O. Suzuki (Hamamatsu, Japan)	141
A comparison of pyrolysis-gas chromatography-mass spectrometry and fourier transform infrared spectroscopy for the characterisation of automotive paint samples	
D.T. Burns (Belfast, UK) and K.P. Doolan (Antrim, UK)	145
The discrimination of automotive clear coat paints indistinguishable by Fourier transform infrared spectroscopy via pyrolysis-gas chromatography-mass spectrometry	
D.T. Burns (Belfast, UK) and K.P. Doolan (Antrim, UK)	157

Microfluidic systems

Module for real time non-invasive control of the electroosmotic flow in microfluidic systems	
L. Szekeley (Lausanne, Switzerland) and R. Freitag (Lausanne, Switzerland and Bayreuth, Germany)	165

Flow analysis

A pulsed sequential injection analysis flow system for the fluorimetric determination of indomethacin in pharmaceutical preparations	
P.C.A.G. Pinto, M.L.M.F.S. Saraiva, J.L.M. Santos and J.L.F.C. Lima (Porto, Portugal)	173
Sequential injection absorption spectrophotometry using a liquid-core waveguide: Determination of <i>p</i> -arsanilic acid in natural waters	
A.R. Roerdink and J.H. Aldstadt III (Milwaukee, WI, USA)	181
Multisyringe flow injection analysis of stable and radioactive yttrium in water and biological samples	
Y. Fajardo, E. Gómez, F. Garcías, V. Cerdà and M. Casas (Palma, Spain)	189
Insecticide identification using a flow injection analysis system with biosensors based on various cholinesterases	
B. Bucur (Perpignan, France and Bucharest, Romania), M. Dondoi, A. Danet (Bucharest, Romania) and J.-L. Marty (Perpignan, France)	195
Determination of mercury(II) at trace levels by gas-diffusion flow injection analysis with amperometric detection	
N. Amini (Melbourne, Australia), T.J. Cardwell, R.W. Catrall (La Trobe, Australia) and S. Kolev (Melbourne, Australia)	203

Sensors and electroanalytical chemistry

Carbon-nanotubes doped polypyrrole glucose biosensor	
J. Wang and M. Musameh (Tempe, AZ, USA)	209
Amperometric sensor for glucose based on electrochemically polymerized tetra-ruthenated nickel-porphyrin	
M. do Socorro Maia Quintino, H. Winnischhofer, M. Nakamura, K. Araki, H.E. Toma and L. Angnes (São Paulo, Brazil)	215
Development of anion selective polymer membrane electrodes based on lutetium(III) porphyrins	
M.S. Messick, S.K. Krishnan, M.K. Hulvey and E.D. Steinle (Springfield, MO, USA)	223
Construction and evaluation of As(V) selective electrodes based on iron oxyhydroxide embedded in silica gel membrane	
J.A. Rodríguez (Valladolid, Spain and Hidalgo, Mexico), E. Barrado, M. Vega (Valladolid, Spain), F. Prieto (Hidalgo, Mexico) and J.L.F.C. Lima (Porto, Portugal)	229
"Electrochemical Index" as a screening method to determine "total polyphenolics" in foods: A proposal	
A.J. Blasco, M.C. Rogerio, M.C. González and A. Escarpa (Madrid, Spain)	237
Voltammetric determination of inorganic As(III) and total inorganic As in natural waters	
A. Profumo, D. Merli and M. Pesavento (Pavia, Italy)	245

Luminescence

A novel homogeneous assay format utilising proximity dependent fluorescence energy transfer between particulate labels	
A. Valanne, H. Lindroos, T. Lövgren and T. Soukka (Turku, Finland)	251
Direct determination of paracetamol in powdered pharmaceutical samples by fluorescence spectroscopy	
A.B. Moreira, H.P.M. Oliveira, T.D.Z. Atvars (Campinas, Brazil), I.L.T. Dias (Bragança Paulista, Brazil), G.O. Neto (Campinas, Brazil), E.A.G. Zagatto (Piracicaba, Brazil) and L.T. Kubota (Campinas, Brazil)	257
A crosslinked matrix of thylakoids coupled to the fluorescence transducer in order to detect herbicides	
P. Euzet (Perpignan, France), M.T. Giardi (Rome, Italy) and R. Rouillon (Perpignan, France)	263
The enhancement effect of CaCl_2 on solid substrate room temperature phosphorescence of polyhalogenated derivatives of fluorescein and application in immunoassay	
Y.-L. Wu, L.-D. Li (Beijing, PR China), J.-M. Liu and G.-H. Zhu (Zhangzhou, PR China)	271
Determination of recombinant human tumor necrosis factor- α in serum by chemiluminescence imaging	
L. Luo, Z. Zhang and L. Ma (Xi'an, China)	277

Chemometrics

A new application of X-ray scattering using principal component analysis - classification of vegetable oils	
G.G. Bortoleto, L.C.M. Pataca and M.I.M.S. Bueno (Campinas, Brazil)	283
A chemometric investigation of the effect of the process parameters during maleic anhydride pulsed plasma polymerization	
F. Siffer, A. Ponche, P. Fioux, J. Schultz and V. Roucoules (Mulhouse, France)	289

Turbidimetry and UV-visible spectrophotometry

Automated turbidimetric determination of cyclamate in low calorie soft drinks and sweeteners without pre-treatment	
N.E. Llamas, M.S. Di Nezio, M.E. Palomeque and B.S.F. Band (Buenos Aires, Argentina)	301
<i>o</i> -Tolidine: A new reagent for a simple nephelometric determination of anionic surfactants	
J.G. March, M. Gual and A.D. Frontera (Palma de Mallorca, Spain)	305

A colorimetric method for fluoride determination in aqueous samples based on the hydroxyl deprotection reaction of a cyanine dye C.-Q. Zhu (Xiamen, China), J.-L. Chen (Wuhu, China), H. Zheng (Xiamen, China), Y.-Q. Wu (Wuhu, China) and J.-G. Xu (Xiamen, China)	311
Kinetic method for the determination of trace amounts of copper(II) in water matrices by its catalytic effect on the oxidation of 1,5-diphenylcarbazide G.A. Crespo (Buenos Aires, Argentina), F.J. Andrade (Bloomington, IN, USA), F.A. Iñón and M.B. Tudino (Buenos Aires, Argentina)	317
Comparison of ultra-violet and inductively coupled plasma-atomic emission spectrometry for the on-line quantification of selenium species after their separation by reversed-phase liquid chromatography F.N. Tsoelas, M.Th. Ochsenkühn-Petropoulou, I.G. Mergias and L.V. Tsakanika (Athens, Greece)	327
Atomic fluorescence spectrometry	
Electrochemical hydride generation atomic fluorescence spectrometry for the simultaneous determination of arsenic and antimony in Chinese medicine samples W.-b. Zhang, W.-e. Gan and X.-q. Lin (Anhui, PR China)	335
Wine analysis	
Relationship between sensory analysis and near infrared spectroscopy in Australian Riesling and Chardonnay wines D. Cozzolino (Adelaide, Australia and Glen Osmond, Australia), H.E. Smyth (Adelaide, Australia and Glen Osmond, Australia), K.A. Lattey (Adelaide, Australia), W. Cynkar, L. Janik, R.G. Damberg, I.L. Francis and M. Gishen (Adelaide, Australia and Glen Osmond, Australia)	341
Diffusive gradients in thin films	
Evaluation of paper-based diffusive gradients in thin film samplers for trace metal sampling B.L. Larner and A.J. Seen (Tasmania, Australia)	349
Author Index	357
Calendar of forthcoming meetings	N1

CONTENTS
direct

This journal is part of **ContentsDirect**, the *free* alerting service which sends tables of contents by e-mail for Elsevier books and journals. You can register for **ContentsDirect** online at: <http://contentsdirect.elsevier.com>

SCIENCE @ DIRECT®

Full text of this journal is available, on-line from **ScienceDirect**. Visit www.sciencedirect.com for more information.